

## Republic of the Philippines

# Department of Education

CORDILLERA ADMINISTRATIVE REGION



27 September 2024

No. 663 · 2024

# INTERIM GUIDELINES ON THE RESUMPTION OF SCHOOL-BASED IMMUNIZATION (SBI) PROGRAM AFTER THE COVID-19 PANDEMIC

To: Assistant Regional Director Schools Division Superintendent School Health Personnel All Others Concerned

- This office disseminates DM-OUOPS-2024-03-06789 titled "Interim Guidelines on the Resumption of School-Based Immunization (SBI) Program after the COVID-19 Pandemic".
- Parental consent must be secured prior to the conduct of the activity.
- Attached are DM-OUOPS-2024-03-06789 and the Department Memorandum No. 2024-0250 titled "Interim Guidelines on the Resumption of School-Based Immunization (SBI) Program after the COVID-19 Pandemic" for details.
- 4. School Division Superintendents and other school officials are enjoined to provide full support to in the conduct of the activity. School health personnel are expected to closely coordinate with the regional/provincial/ city health officers in the conduct of the vaccination activities.
- For questions and clarifications, please contact Georgina C. Ducayso, ESSD Chief at cellphone number 0928-781-6074, or Raymond S. Damoslog, Medical Officer IV through email at raymond.damoslog@deped.gov.ph.
- 6. Immediate dissemination and of compliance with this Memorandum is directed.


ESTELA P. LEON-CARIÑO EdD, CESO III
Director IV/Regional Director

ESSD/GDC/rsd/ Interim Guidelines on the Resumption of SBI Program after the COVID-19 Pandemic September 27, 2024









Telephone No: (074) 422 - 1318 Email Address: car@deped.gov.ph







### Republika ng Dilipinas

### Department of Education

### DEFICE OF THE UNDERSECRETARY FOR OPERATIONS

### MEMORANDUM DM-OUOPS-2024-07-04789

TO

REGIONAL DIRECTORS

SCHOOLS DIVISION SUPERINTENDENTS

PUBLIC AND PRIVATE ELEMENTARY AND SECONDARY SCHOOLS

ALL OTHERS CONCERNED

FROM

ATTY, REVSEE A. ESCOBEDO

Undersbewtary for Operations

SUBJECT

INTERIM GUIDELINES ON THE RESUMPTION OF SCHOOL-BASED

IMMUNIZATION (SBI) PROGRAM AFTER THE COVID-19 PANDEMIC

DATE

August 19, 2024

- Inumunization provide protection against vaccine-preventable diseases (VPDs) such as measles, rubella, tetanus, diphtheria and human papillomavirus (HPV). In 2013, the School Based Immunization (SBI) Program was institutionalized and conducted every August nationwide in all public schools until the COVID-19 pandemic. IN 2020, SBI shifted from school-based to community-based setting due to mobility restrictions and suspension of in-person classes in schools during the peak of the COVID-19 pandemic.
- The full resumption of face-to-face classes exposes school learners to high risk of contracting VPDs, thus it is imperative that the SBI Program shall be implemented and shifted back to school based from community-based setting the full resumption of face-toface classes, school learners are at high risk of contracting VPDs.
- The Interim Guidelines on the Resumption of School-Based Immunication after the COVID-19 Pandemic are contained in the Enclosure.
- 4. Parental consent must be secured prior to the conduct of the activity.
- Regional Directors, Schools Division Superintendents and other school officials are enjoined to provide full support to in the conduct of the activity. School health personnel are expected to closely coordinate with the regional/provincial/city health officers in the conduct of the vaccination activities.
- For more information, all concerned may contact Dr. Maria Corazon C. Dumlao, Chief, Health Program Officer, Bureau of Learner Support Services-School Health Division at (02)8632-9935 and email at blss.shd@deped.gov.ph.
- 7. Immediate dissemination of this Memorandum is desired.

Incls.: As sinted.





Roum 101, Road Building, Depth Compine, Metrico Avenue, Paug City 1800 Telephone Nos. (02) 8633-5115 (02) 8631-5621 Fraud Address: ourself-depent you pit : Website: wave depent you pit





# Republic of the Philippines DEPARTMENT OF HEALTH

Office of the Secretary



June 21, 2024

### DEPARTMENT MEMORANDUM No. 2024 - 0250

FOR:

ALL UNDERSECRETARIES, ASSISTANT SECRETARIES, DIRECTORS OF BUREAUS, SERVICES, AND CENTERS FOR HEALTH DEVELOPMENT (CHD), MINISTER OF HEALTH - BANGSAMORO AUTONOMOUS REGION IN MUSLIM MINDANAO (MOH-BARMM), ATTACHED AGENCIES, AND OTHERS CONCERNED

SUBJECT:

Interim Guidelines on the Resumption of School-Based Immunization (SBI) after the COVID-19 Pandemic

### I. BACKGROUND

The School-based Immunization (SBI) is a program of the Department of Health (DOH), in coordination with the Department of Education (DepEd), that aims to provide protection against vaccine-preventable diseases (VPDs) such as measles, rubella, totanus, diphtheria and human papillomavirus (HPV). Since 2013, SBI has been conducted every August nationwide in public schools until the COVID-19 pandemic. The SBI shifted from school-based to community-based setting due to mobility restrictions and suspension of in-person classes in schools during the peak of the COVID-19 pandemic.

With the full resumption of face-to-face classes, school learners are at high risk of contracting VPDs. Thus, the continuity of delivering immunization services, including school-based vaccination, proves to be critical in mitigating public health crises, such as the recent outbreaks of measles and pertussis in certain areas of the country.

In this regard, this issuance aims to provide technical directions for the re-implementation of School-based Immunization services at the school setting.

### II. GENERAL GUIDELINES

- A. All SBI services, including Measles-Rubella (MR), Tetanus-diphtheria (Td), and Human Papillomavirus (HPV) vaccination, shall resume its implementation in schools. It is recommended to be rolled out in public schools two (2) months from the start of classes or as agreed upon by DOH and DcpEd.
- B. Grade 1 and Grade 7 school children shall be vaccinated with MR and Td vaccines while Grade 4 female school children shall be vaccinated with HPV vaccine. These vaccinations shall follow the appropriate dosages, scheduling and intervals.

- C. A template for informed consent (Annex A), including information, education, and communication (IEC) materials shall be disseminated to parents or guardians prior to the SBI roll-out.
- D. Proper microplanning, coordination, and demand generation activities shall be undertaken by all local government units (LGUs) and local health workers concerned, in collaboration with other stakeholders such as the Department of Education (DepEd) and other national government agencies (NGAs), to ensure the efficiency in managing health resources and highlight the distinction of the MR-Td and HPV school-based immunization from other ongoing vaccination services.

### III. SPECIFIC GUIDELINES

### A. Preparatory Activities

### 1. Coordination and Engagement with School Administration

- a. Local health centers shall coordinate with school principals, teachers and school nurses on the conduct of SBI activities and SBI guidelines orientation.
- b. Teachers-in-charge/school nurses shall issue notification letters and consent forms (Annex A) and IEC materials of health services such as immunization to school children upon enrollment. The template for notification letter and informed consent may be accessed through: https://bit.lv/SBIConsentForm.
- c. Schools within the LGU catchment area shall endorse the list of Grade 1, Grade 7, and female Grade 4 children carolled for the current school year to the local health center.
- d. Local health center staff shall record the endorsed list of eligible school children in the Recording Forms 1, 2, and 3 (Annexes B, C, D). The recording forms may be accessed via: https://tinyurl.com/SBIReporting.

### 2. Microplanning

- a. All LGUs, assisted by the DOH Development Management Officers (DMO) with coordination and guidance of NIP Managers, shall develop a detailed microplan of the SBI activities. Micro-plans shall include the following:
  - Calculation and identification of the number of children to be vaccinated per immunization session and the vaccination teams needed to prepare immunization schedules for the vaccination team including the schools to be visited;
  - Calculation of the vaccine and other logistics needed including the cold chain equipment;
  - iii. Immunization session plans;
  - iv. Plan for high-risk and hard-to-reach population;
  - v. Crafting of supervisory and monitoring schedule,
  - vi. Follow-up schedule and mop-up plan;
  - vii. Human resource mapping and contingency plan;
  - viii. Demand generation plan;
  - ix. Disease surveillance and reporting;

Adverse Events Following Immunization (AEFI) management plan;
 and

xi. Waste management plun

- b. All SBI operational resource requirements shall be consolidated at the city/municipality, provincial and regional levels and included in the costed SBI microplans to be submitted to the higher administrative level.
- c. A standard microplan template which can be accessed through https://tinyurl.com/SBIMicroplanTemplate shall be used by all LGUs.

### 3. Demand Generation

a. Engagement of parents and caregivers through Parents and Teacher Association (PTA) meetings and similar activities shall be conducted by schools to ensure uptake among students.

b. Discussions on vaccination among students shall also be conducted through platforms such as flag ceremonies, as part of lectures for relevant classes, and/or through dedicated teach-in sessions to raise awareness and willingness among students.

 Conducting social listening and feedbacking among students and parents shall be done through different channels such as meetings and discussions

to identify mis/disinformation that need to be addressed.

d. LGUs and schools shall mobilize stakeholders to support demand generation activities. This can include the provision of givenways for successfully vaccinated students, as well as incentives for health workers.

 Other interactive community engagement activities such as contests and kick-off/launching activities are also encouraged.

### 4. Setting up of Vaccination Posts

Local health centers shall coordinate with the school administrators for the use of school facilities as temporary vaccination posts. Temporary vaccination posts shall be well-ventilated and spacious to allow compliance with minimum public health standards. Client flow in the vicinity shall be discussed with school administrators, teachers-in-charge, and school nurses.

### 5. Establishment of Vaccination Teams

- A vaccination team shall be composed of at least three (3) trained personnel composed of one (1) vaccinator, one (1) recorder and one (1) bealth comselor.
- b. Vaccination teams shall be organized based on the target number of schoolchildren to be vaccinated per immunization session and shall apply the following strategies:
  - The LGUs shall identify available human resources for deployment based on the calculated number of vaccination teams needed and identify the gap for possible HR augmentation from stakeholders/ partners in order to reach the target.
  - ii. Schedule vaccination sessions and deployment of vaccination teams giving priority to schools with a high number of eligible children that are close in their respective area of jurisdiction, and/ or areas with cases of measles-rubella. The number of target eligible

populations shall be automatically populated in the SBI Recording Forms.

c. Provided that remaining funds are still available, hiring additional vaccinators and encoders for this activity may be charged under the Locally Funded Project (LFP) funds. Appropriate remuneration through performance-based incentives, and daily subsistence allowance (DSA), transportation allowance, and other immunization-related activities shall be provided to the vaccination teams and may be chargeable against Public Health Management (PHM) funds under DO 2024-0032-B entitled "Further Amendment to the Department Order No. 2024-0032-A dated March 13, 2024, and February 7, 2024, entitled, Guidelines on the Sub-Allotment and Utilization of Funds to Centers for Health Development and Ministry of Health-Bangsamoro Autonomous Region in Muslim Mindanao for the Conduct of CY 2024 Bivalent Oral Polio Vaccine Catch-Up and Supplementation Immunization Activities (bOPV SIA)."

### 6. Orientation and Training

Pre-deployment orientation and capacity-building activities on SBI guidelines shall be conducted to all primary healthcare workers, vaccination teams, school personnel, and other stakeholders participating in this activity. Orientation shall be provided by the Provincial and City Health Offices with the assistance of the National Immunization Program staff of the CHD.

### B. School-Based Immunization (SBI) Roll-Out

### 1. Conduct of Immunization Sessions

- a. Vaccination teams may request support from Barangay Local Government Units (BLGUs) for the mobilization and transportation of vaccination teams to the different school vaccination locations as scheduled.
- Only students from the school itself can take part in the immunization sessions held on school premises.
- c. Consenting parents/guardians of Grade 1, Grade 7, and female Grade 4 school children shall complete and submit the consent forms on/or before the scheduled SBI immunization session.
- d. School children shall bring their Routine Immunization Cards or Mother and Child booklets on the day of immunization for confirmation of their vaccination history.
- e. The vaccinator shall conduct a quick health assessment prior to administration of MR, Td, and HPV vaccines using the recommended form (Annex G) to ensure that the child is well enough to be vaccinated.
- f. Antigens administered during the SBI shall be reflected as a supplemental dose in the Routine Immunization Card, Mother and Child booklet, or SBI vaccination card.
- g. If the Routine Immunization Card or Mother and Child Booklet is not available, an SBI vaccination card shall be provided by the local health center
- Parents and guardians must be reminded to keep the child's immunization card as it will be used as a means for verification of the child's vaccination status.

### MR-Td and HPV Immunization Target Population, Schedules, and Operations

- Local health center staff shall be in charge of checking the school children's vaccination status and consolidating informed consents for SBI.
- b. Target school children shall receive the following recommended vaccines:

Tible 1. Recommended vaccines for school-based immunization

Vaccine	Vaccination History	Vaccine Schedule	Dosage
Grade I Studens	ts		
MR	Irrespective	One (1) dose	0.5ml. SQ, Right upper arm (posterior triceps) each dose
Tđ	Irrespective	One (1) dose	0.5mL, IM, Left deltoid
Grade 7 Studen	ts		TO SELLIN
MR	Irrespective	One (1) dose	0.5mL SQ, Right upper arm (posterior triceps)
Td	Irrespective	One (1) dose	0_5mL, IM, Left deltoid
Grade 4 Female	Students in selected I	IPV implementing a	reas only (Annes 1)
		HPV1	0.5ml IM, left deltoid
HPV	Zero (0) dose	HPV 2, at least 6 months from 1st dose	0.5ml, IM left deltoid
	One (1) or 2 doses from previous year implementation	Vaccination not required	None

- c. Timing and spacing of MR, Td, or HPV vaccines with other vaccines shall follow standard immunization rules:
  - Inactivated vaccines such as Td and HPV can be given at any interval even if another vaccine was previously injected to the child (ie. rabies toxoid or MR vaccine).
  - Live, attenuated vaccines such as MR can be administered on the following conditions:
    - If not given simultaneously/on the same day after another live attenuated vaccine (e.g., varicella), administer following a 28-day interval
    - If not given simultaneously/on the same day after an inactivated vaccine (ie. Td and HPV), administer any time

- Co-administration of vaccines in one session must be done using separate syringes and different injection sites.
- d. All vaccinated students shall be recorded in Recording Forms 1, 2 and 3.
- e. In compliance with Healthy Learning Institutions standards, private schools who wish to participate in school-based immunization shall directly coordinate with their respective local health centers. Eligible private school children shall also be recorded in the Recording Forms.
- f. End-of-cycle mop-up activities. To achieve maximum immunization coverage, mop-up activities shall be provided to those students who have not completed their recommended immunization schedule. The local health center shall inform the teacher-in-charge or school nurse of available activities. This catch-up may include the scheduling of an additional vaccine day, the option for some students to receive catch-up vaccines with their peers in other classes or accessing the immunization session from the local health center.
  - i. A mop-up activity may be scheduled for all eligible students who were initially deferred for MR, Td, or HPV immunization. Parents or caregivers of eligible students who missed the initial roll-out and catch-up activity and express willingness to get vaccinated shall be referred to the nearest implementing local health center. The student shall be accompanied by their parents and/or caregivers and shall be instructed to bring their duly accomplished consent form, provided that there are still available vaccines.
  - ii. These students shall also be recorded in the Recording Forms.

### 3. Supply Chain and Logistics Management

### a. Vaccine Supply and Inventory Management

- All MR, Td, and HPV vaccines and ancillaries shall be provided by the DOH Central Office (CO).
- ii. The quantity of the vaccines and supplies to be allocated and provided to the CHDs shall be based on the consolidated number of enrolled students per region. Requested quantities will be reviewed and adjusted based on inventory reports and vaccine requirements at sub-national levels. Quantification for vaccines and ancillaries shall be done using the microplan template (<a href="https://tinyurl.com/SBIMicroplanTemplate">https://tinyurl.com/SBIMicroplanTemplate</a>).
- All provinces/cities are required to update inventories of MR, Td and HPV vaccines received and issued through the electronic logistics management information system (eLMIS). Such shall be reported weekly.

### b. Vaccine Handling and Storage

- MR, Td, and HPV vaccines shall be maintained at +2°C to +8°C at all times during distribution, storage, and immunization sessions.
  - MR vaccines lose their potency by 50% when exposed to over 8°C within one (1) hour
  - 2. Td vaccines must never be frozen
  - 3. HPV vaccines should be protected from light
- Vaccine vials with vaccine vial monitors (VVMs) at discard point shall properly be disposed of.

- Vaccine vials and diluents must be placed in standard vaccine carriers.
   Standard vaccine carriers should have four (4) conditioned ice packs.
   Newer vaccine carriers have seven (7) conditioned ice packs.
- iv. Pre-filling of syringes of vaccines is NOT allowed.
- v. Any remaining reconstituted MR vaccine doses must be discarded after six (6) hours or at the end of the immunization session, whichever comes first. Unused reconstituted vaccine MUST NEVER be returned to the refrigerator.
- vi. Open vials of Td vaccine follow the multi-dose vial policy (MDVP). As such, these may be used in subsequent sessions (up to 28 days from opening) provided the following conditions are met:
  - 1. Expiry date has not passed
  - 2. Vaccines are stored under appropriate cold chain conditions
  - 3. Vaccine vial septum has not been submerged in water
  - 4. Asoptic technique has been used to withdraw all doses
  - Vaccine Vial Monitor (VVM) is intact and has not reached the discard point
  - Date is indicated when the vial was opened.
- vii. Excess, unopened vaccine vials brought during immunization sessions shall be marked with a check (√) before returning to the refrigerator for storage. The check mark shall indicate that the vaccine vial was out of the refrigerator and shall be prioritized for use in the next immunization sessions.

### C. Immunization Safety and Adverse Events Following Immunization (AEFI)

- Special precautions must be instituted to ensure that blood-borne diseases will not be transmitted during MR, Td, and HPV immunization. This shall include:
  - Use of the auto-disabled syringe (ADS) in all immunization sessions
  - Proper disposal of used syringes and needles into the safety collector box and the safety collector boxes with used immunization wastes through the recommended appropriate final disposal for hazardous wastes
  - Refraining from pre-filling of syringes, re-capping of needles, and use of aspirating needles, as prohibited
- Fear of injections resulting in fainting has been commonly observed in adolescents during vaccination. Fainting is an immunization anxiety-related reaction. To reduce its occurrence, it is recommended for vaccination sites to be situated in areas not readily visible to the students. Further, the vaccinees shall
  - Advised to eat before vaccination and be provided with comfortable room temperature during the waiting period
  - b. Seated or lying down while being vaccinated
  - c. Carefully observed for approximately 15 minutes after administration of the vaccine and provided with comfortable room temperature during the observation period
- The decision to administer or delay vaccination because of a current or recent febrile illness depends largely on the severity of the symptoms and their etiology. Mild upper respiratory infections are not generally contraindications to vaccination.

- Adverse events following MR-Td and HPV vaccination are generally non-scrious and of short duration. However:
  - a. MR vaccine should NOT be given to a child or adolescent who:
    - Has a history of a severe aflergic reaction (e.g., anaphylaxis) after a previous dose of the vaccine or vaccine component (e.g. neomycin)
    - Has a known severe immunodeficiency (e.g., from hematologic and solid tumors, receipt of chemotherapy, congenital immunodeficiency, or long-term immunosuppressive therapy or patients with human immunodeficiency virus (HIV) infection who are severely immunocompromised)
    - iii. Pregnant females
  - Td vaccine should NOT be given to anyone who had a severe allergic reaction (eg. anaphylaxis) after a previous dose.
  - HPV vaccine should NOT be given to adolescents who:
    - Had a severe allergic reaction after a previous vaccine dose, or to a component of the vaccine.
    - ii. Has a history of immediate hypersensitivity to yeast.
    - Pregnant females. Although the vaccine has not been causally associated with adverse pregnancy outcomes or adverse events to the developing fetus, data on vaccination in pregnancy are limited.
- Vaccine adverse reactions from any of the vaccines can be found in Annex J of this document. Reporting of AEFI shall follow the existing DOH Guidelines in Surveillance and Response to Adverse Events Following Immunization using the form in Department Circular No. 2023–0206 entitled Advisory on the Implementation and Use of the Revised AEFI Case Investigation Form (CIF) Version 2023.
- 6. All vaccination teams and sites shall have at least one (1) complete AEFI kit with first-line treatment drags such as epincphrine for allergic reactions and other items for managing the clinical presentation of AEFIs. These kits shall be replenished prior to each vaccination run. All vaccination team members shall be trained to detect, monitor, and provide first aid for AEFI (eg. anaphylaxis) and other health emergencies following immunization. Prompt referral to the nearest health facility must be made in such events.

Table 2. Recommended dosage for epinephrine

Route of Administration	Frequency of Administration	Dose
Epinephrine 1:1000, IM to the midpoint of the anterolateral aspect of the 3rd of the thigh immediately	Repeat in every 5-15 min as needed until there is a resolution of the anaphylaxis  Note: Persisting or worsening cough associated with pulmonary edema is an important sign of epinephrine overdose and toxicity	According to age:  • 0.05 mL for less than 1 y.o.  • 0.15 mL for 2-6 y.o.  • 0.3 mL for 6-12 y.o.  • 0.5 mL for older than 12 y.o.

7. The DOH-retained and other government hospitals shall not charge the patient treated for serious AEFI with any fee. In areas where there are no existing or accessible government hospitals/health facilities, serious AEFI cases shall be managed in private institutions and assistance shall be provided by the LGU with support from the DOH in accordance with Administrative Order 2023-0007 entitled Revised Omnibus Guidelines on the Surveillance and Management of Adverse Events Following Immunization (AEFI).

### D. Data Management and Monitoring

### 1. Recording and Reporting

- a. The vaccination teams shall utilize the SBI Recording Forms as masterlists of Grade 1, Grade 7, and female Grade 4 school children.
- b. The total number of children vaccinated per immunization session shall be recorded using the Summary Reporting Form (Annex E) and shall be uploaded in the vaccination dashboard developed by KMITS. Submitted reports shall be analyzed by the DPCB National Immunization Program and submitted to the Public Health Services Cluster (PHSC) as regular updates. The summary reporting form may be accessed via the link: <a href="https://tinyurl.com/SBIReporting">https://tinyurl.com/SBIReporting</a>.
- c. The procedure for submission of reports should adhere to the guidelines provided in Annex F.

### 2. Monitoring

The Disease Prevention and Control Bureau (DPCB) together with the HPB, EB, KMITS, SCMS and other DOH Bureaus and Offices shall convene weekly rectings with the CHDs and MOH-BARMM every Wednesdays at 10:00 AM until the end of the SBI roll-out period to provide regular updates, review plans and recalibrate strategies, as needed.

### IV. ROLES AND RESPONSIBILITIES

### A. The Disease Prevention and Control Bureau (DPCB) shall:

- Provide technical assistance and capacity building on the conduct of school-based MR-Td-HPV vaccination, in collaboration with professional and civil societies:
- Coordinate with the Supply Chain Management Service (SCMS) to ensure the availability of vaccines down to the Local Government Unit (LGU) level throughout the implementation of the conduct of school-based MR-Td-HPV vaccination.
- Coordinate with the Health Promotion Bureau with regard to increasing the awareness on the conduct of school-based MR-Td-HPV vaccination; and
- Monitor and evaluate the implementation of school-based MR-Td-HPV vaccination services and outcome indicators.

### B. The Health Promotion Bureau (HPB) shall:

- Develop social and behavior change (SBC) strategies for vaccine-preventable diseases and school based immunization (SBI);
- Cascade SBC plan and Communication Packages to the Centers for Health Development (CHDs) and Ministry of Health - Bangsamoro Autonomous Region in Muslim Mindanao (BARMM), partners, and stakeholders for localization and dissemination;
- Collect data on behavioral determinants of target parents and guardians for school-based immunization;
- Support the DepEd in monitoring the accomplishment of indicators and standards related to vaccination in the implementation of the Oplan Kalusugan sa DepEd-Healthy Learning Institutions (OKD-HLI) program, and propose recommendations as appropriate; and
- Evaluate effectiveness of SBC strategies in promoting the conduct of school-based immunization services to guide evidence-based research and policy making.

### C. The Epidemiology Bureau (EB) shall enforce the implementation of the existing DOH Guidelines:

- Administrative Order No. 2016-2006 entitled "Adverse Events Following Immunization (AEFI) surveillance and response;" and
- Administrative Order No. 2016-0025 entitled, guidelines on the Referral System for Adverse Events.
- D. The Supply Chain Management Service (SCMS) shall be responsible for the distribution and monitoring of vaccines.
- E. The Communication Office (COM) shall conduct media-facing activities to increase awareness and participation for SBI.
- F. The Centers for Health Development (CHDs) and Ministry of Health-Bangsamoro Autonomous Region in Muslim Mindanno (MOH-BARMM) shall perform the following:

### 1. The National Immunization Program (NIP) shall:

- Conduct orientation for concerned stakeholders regarding the policy and promote its adoption and implementation;
- Provide technical assistance and capacity building to LGUs and other partners on the conduct of MR-Td and HPV school-based immunization;
- c. Conduct planning with the Provincial and HUCs, DepEd, and DILG counterparts in the implementation of the SBI;
- d. Submit and analyze submitted weekly accomplishment reports by the Local Government Units through the reporting tool indicated in Section D.1 b.
- Evaluate and monitor the implementation of the policy by both public and private sectors in their respective regions; and
- f. Support the LGUs in the reproduction of recording and reporting forms, notification letter and consent forms, quick health assessment forms, immunization cards, among others, as needed.

### 2. The Health Education and Promotion Units (HEPUs) shall:

- Conduct demand generation planning with the LGUs, DepEd, and DILG counterparts in the implementation of the SBI;
- Implement social and behavior change (SBC) strategies for vaccine-preventable diseases and school based immunization (SBI);
  - Advocate for school administrators and teachers to become champions of school-based immunization;
  - Assist schools in educating, getting the consent of, and mobilizing parents to participate in school-based immunization;
  - Develop and reproduce communication packages and materials to drive demand and support participation in school-based immunization;
  - iv. Harmonize other stakeholders such as the private sector, non-government or civil society organizations, development partners and religious sector to solicit support for immunization program:
- Ensure intensification of health promotions regarding SBI together with routine immunization services within their area of influence; and
- d. Support LGUs in the reproduction of materials, as needed.
- The Regional Epidemiology Surveillance Units (RESUs) shall monitor reports of AEFI and conduct vaccine safety surveillance and conduct investigations to reported cases of serious AEFI.
- 4. The Cold Chain Managers and/or the Supply Chain Units shall ensure proper cold chain management at all levels and facilitate allocation and distribution of vaccines to LGUs and monitor stock inventory for immediate replenishment, as needed.
- The Communication Management Units (CMUs) shall develop crisis communication plans for AEFI and issue press releases and engage media to cover the SBI activities.

### G. The Department of Education (DepEd) shall:

- Disseminate the policy to all School Division Offices (SDOs) for coordination and planning with their respective counterpart LGUs;
- Disseminate consent forms upon enrollment or at least two (2) weeks prior to actual implementation;
- Conduct health education and promotion activities to parents and students to advocate for immunization in collaboration with the local health center.;
- 4. Provide the needed Master List of Learners (Grade 1, Grade 7, and Female Grade 4) for the year of implementation to their respective counterpart LGUs at least one (1) month prior to the actual SBI rollout; and
- Inform DepEd personnel in SDOs that they may participate voluntarily in the conduct of fixed-site approach school-based immunization. In this regard, the school nurses may:
  - Screen immunization records of students for a missed dose, series of doses, or all vaccines due to the learners;
  - b. Administer vaccines to eligible students within the school premises;
  - c. Provide follow-up care and additional vaccinations if required; and

d. Perform the recording, data collection and validation of the number of immunized target populations during the implementation period.

### ₩. W. The Local Government Units (LGUs) shall:

 Conduct school-based MR-Td and HPV vaccination within their area of influence in accordance to the guidelines set by DOH;

Provide localized support or counterpart (i.e. resources, collaterals, others) for

the implementation of the policy;

 Allot funds for reproduction of SBI IEC materials and all other relevant forms for the activity;

 Develop strategies for conduct of school-based MR-Td-HPV vaccination specific to their area of jurisdiction;

Perform data validation and generate reports regarding accomplishment during

the implementation period;

 Conduct regular consultation and implementation reviews among respective LGU personnel, immunization stakeholders, and other organizational partners to improve service delivery efficiency and address implementation issues/gaps; and

7. Submit timely reports to the DOH and DILG for monitoring and tracking of

progress of implementation.

### 1 & The Local Health Centers shall:

Conduct social and behavior change strategies to support school-based immunization:

Deploy trained healthcare workers to conduct immunization sessions;

 Ensure the availability and proper storage and handling of vaccines and related supplies:

 Screen the immunization records of students for a missed dose, series of doses, or all vaccines due to the learners;

5. Administer vaccines to eligible students within the school premises;

6. Provide follow-up care and additional vaccinations if required; and

Perform the recording, data collection and validation of the number of immunized target populations during the implementation period.

J-R. Professional medical and allied medical associations, academic institutions, non-government organizations, development partners and the private sector shall be enjoined to support the implementation of the catch-up immunization guidelines and disseminate it to the areas of their influence.

For dissemination and strict compliance.

By Anthority of the Secretary of Health:

GLENN MATHEW G: BAGGAO, MD, MRA, MSN, FPSMS, FPCHA Undersecretary of Health Public Health Services Cluster

## Annex A: Notification Letter and Consent Form Template







	2013	SCAPPON LETTER		
			DATE:	_
DICTERON-				
CHOOL		-		
ADDRESS				
Dest Parent Grandon				
This school as a Public	Clementary Servetary Setter	of will provide behave flow	of Economistre (SH1) of Steples Hai	hadle (
uni Totanos - Oliphillente (T4) v Jorenness Cler (LOL)	ections to Cratts I and Grade	7 etudenti in montinumon	with the Department of Health (DOM) as	f the L
The Newforms as be latter spectrum chardications	ong sesseré to: you as softemation on No suettes, please get as took?	s of the account that wall be a with the Principal - School	combined for 6Y 2654 = 2625. Should Head.	# you!
Thank you very seach.				
		Sey only	your.	
		(According)		
		Natural	School Street Promptal	
	ACKNOWLED	KEMEYT AND COOSE	4.5	
have out and understood the or	formation regarding the remade	E commence to the law by	to From to my shifts	
77. G1 =		1	MILE STATE OF THE	-
Amount the Child	First Name	Middle Xmer	Date of Ebrik (manifoliyyyy)	E STATE
ALIC DA BUTTON				_
Crefect Inflatination	Televil.		Ast Sec	
Thur content to regulated before applies thinkly mank (1) of one	rentren getal ir jav vitta). Kur alleg vi neales ciiniai.	or others. Repeat plants	na Jones par Japanes I ny (File).	Contract of the last
Primary sommer - Art				
C Leaberra	egosie Brox ambications			
O treplens				
Critical generalized and	ignanives			
Noon, my child in returnsh	herody.			
CONDENT FOR INDUSTRA		Silver and the second		
Deller		nik in the her provided.		
C) desirable to	it to be provided the landomerates or	success or her occur de constitute		
C Andr Colft, To				
	±10 N Hillion By (Secultiving Art	nex tecess		
	mes large that I have read and mide		n d'america a une per modife insere dese l'about phone e empre de	
	Testimonista in the	on of Record Creation		



1

### Republika ng Pilipican Jubeyos\_\_\_\_





	3013	FICATION LETTER		
			DATE:	
DENTHERN: ICHOOL:		3		
Jean Plannet Trapelline				
	Clausery Secondar, School and Students in coordinates with			
	ing around to you as informations no floi matter, please get to too.			2025. Should you hav
Dank year year much.				
		Ney wally to	mes.	
		Name of Se	and Mrst Process	
	ACKNOWLE	DIGENIEST AND CONSENT	t	
		ES-WEST CONTROL OF THE SEC		Marrett .
ions of the Child		ES-WEST CONTROL OF THE SEC	prime to my stalls.	#433393
Conset Defections Contact Defections	Pyer Name School	of journalisation services to be	prime to my stalls.	549 ( See
Contact Defermation Contact Vander  PRE VACCENATION CLOSE The Contact is regional legs agricus in regional legs agricus in regional legs agricus in regional legs agricus in regional legs brinday a tensory of frames frames Legislatura Legislatura Legislatura Vander Van	Five State  Five State  School	Shift News States News States News States News Security (STA) various Security (STA) various	District Brick (see	Sep

Endowment that by opining one of the responsed innovariances, my which pury term a higher role of creationing variable per-resorble deceases. By origining this variety is also being the little and and authorized the information per roled down A columns to contain any short from the residence and short from the proposed rolled measurements.

New rat Signature of Parest Grantina

So I will are also not static to receive the economic contract because

### Annex B: Recording Form 1 - Masterlist of Grade 1 Students

at the self-care main pro-	TOTAL PROPERTY.					Se acc										_				
	-	Designation of the last of the	100	Щ	71	100	100	elad	-	200							_			P
	MINISTER S				-01	MCDH.	9	100	into-eti.	545	100		K S	100	3		CER	000	O THE	100
1			-							-				-			=			-
-	_		⊢	$\vdash$	-	-		-	-	-	-	$\vdash$	$\vdash$	-	$\vdash$	$\vdash$	-	-	-	-
			1=													=				
1		+-	-	$\vdash$	-	-				$\vdash$	-		₩		-	1	-	-	-	-
Street & Superiors of Englands (1980) on the Street (Anthrill Street ones of their cooks the first of the first forms			• 1	fore		Region			-					_	*					

15

### Annex C: Recording Form 2 - Musterlist of Grade 7 Students

### ROJOCU-BASIS MALANZATION Name this Parts is administrate Name C Manhots

the said to said the said to said	man ter	Taxable 1	(= h		THE REAL PROPERTY.		-	-	100.0			Variation in the last	-				1000	0.5
	Committee de la committee de l	property and speed	5	*	100 T 100 T 1		000	-		201	=	-	=	(10)	1		Alth	
															H			
				Ħ		=						F		F	F			
			П	1	20.00						H	H	H	F	F	=	-	
Name & Reported of State one and the Major's physicism of all the apply for the way flatters flatters was absorbed, coming from flags of conting page of flat			*	1 10	Approx. 6 ad locat to the o	Page (I		0,000 of the					-	150	-	hort		

### Annex D: Recording Form 3 - Masterlist of Grade 4 Female Students

### SCHOOL SALED MANUFICATION Flooriting Fores Is Meanwhild of Grade 4 Fernant Students

Photo .	Angelor Net	Date of Park				d Poly	Dore	et side	efference at	wine.			Vincin	Sans				
December Part Storm, 442	morphis Americ	300.00.777Y	4	-	-	part t	Ŧ	40	anda.			1077.7	*	1970 5	亡		Triban.	-
				-	-									-			-	
					1											-		
-		-		-	-		-			$\vdash$	-		-	-	-	_	-	-
											-			-				
1		+	⊢	-	-	-	-			-	-		-	-	-			-
Toron & Superiors of Superiors (INST POR Superior (INST INST INST INST INST INST INST INST INST	State & Supe	des d'Acchance (			_	i Stephele		simple:			-	- E Squ						
France of administrative of the control of the cont	che equiteux, jair shere	ne në metome.	11 11	Child mapfiel, I UNIO VAUI	t of street dispert re- the Surre- manner of other beau of manner of	or the ex- protect of t epicture the torny and not begin a di-	Total	mini ier ja mendi	et dischaped	Name (See	•							

### Annex E: Summary Reporting Form

### Section Security Securities

						Ow	de I										Gr	wite 6	Pen	-					_	_	_		- 6	nie!	1		_			_
and the same		-	2.	-	=-			-			**	-		*	=	-	-	-		-	8	-			=	-	7	=	4	-	•••	_		-		-
	=	L		-		-		٠		-	•	•		2	•	Ħ	•	÷	٠	ij.	-	ž	. 3	1	=	-	٠	•	1	-	٠	-	٠			4
																				П			1	1					1	1	4	1	#	#	#	
		E												Ħ									1	#	=	Ħ	Þ	H	1	#	#	4	4	7	ŧ	1
									F					-						П		Н	Ħ	1	1	Ħ	L		1	Ī		7	7	7	ŀ	
	_									F		F	F	F	F	Ħ	Н			Н		Н	Η	1	1	F	F	Н	+	1		$\exists$	=	7	Ŧ	
	=	$\equiv$							E		E				E									-		=	$\blacksquare$		1	4		_	_	_	4	

Stade 1: MI: Sustant of States Section (c. 1865) Sustant of States Section (M. 1865)

Special F

Called or Marchael Street, or Str

740

Service of House Services (F. 1988). Service of House Service (1984). Service of Marcha Services (1984). hope ( French

terior d'incre l'acción per esta

Annex F: Flow and Submission of Reports

Levels of implementation	Type of report	Responsible Person	To be Submitted to	Schedule of Report
	Recording Form 1: Masterlist of Grade 1 Students			
School	Recording Form 2: Masterlist of Grade 4 Students	Local Health Center/Vaccination Team	RHU	Daily
	Recording Form 3: Masterlist of Grade 4 Students			
RHU	Consolidated accomplishment report by Schools per Municipalities	RHU Midwife	рно/сно	Weekly
РНО/СНО	Analysis report of municipalities	Provincial/City NIP Coordinator	RHO	Weekly
RHO	Bulletin report of prov/city	Regional NIP Coordinator	CO-NIP	Weekly
CO	Bulletia report of CHDs	DPCB NIP	PHSC U	Weekly

### Annex G: Quick Health Assessment Form

### QUICK HEALTH ASSESSMENT FOR SCHOOL-BASED IMMUNIZATION (MR, Td, and HPV Vaccination)

Barangay (School R HEALTH A	SSESSMENT	Decision  If Yes,  DEFER  Vaccination;	Set
K BEAUTH A	SSESSMENT base with a cl	Decision  If Yes,  DEFER  Vaccination,	
K BEAUTH A	SSESSMENT base with a cl	Decision  If Yes,  DEFER  Vaccination,	
operate quarte l	bases with a cl	Decision  If Yes,  DEFER  Vaccination;	Remarks
operate quarte l	bases with a cl	Decision  If Yes,  DEFER  Vaccination;	Remarks
Charles and the second distriction in		If Yes, DEFER Vaccination;	Remarks
		DEFER vaccination;	
		refer for medical management; and set a define date for the vaccination	Temp:
		be, DO NOT GIVE MR/HPV	
tions. Nable? [	Yes [	No.	linezzez zhould
	lonz. lable? [	florer.  Lable?	define date for the vaccination.  If pregnant or suspected to be, DO NOT GIVE MR HPV Vaccine  Transferatory infections, disarrhes and other minor inform.

Annex H: School-Based Immunization Card Template

Healthy Pilipinas Vaccination			
Child's name:	hildre	en E	
Date of birth:	11 11001		
Vaccine Type	D.Me	Vaccination give Date	ol Date
(Managles-RubeQu)			
TD (Tetamus-Dipletherta)			
HPV* (Human Papilloma Virus)			
Others			

### Annex I: List of Provinces/Cities Implementing HPV Vaccination

### CAR

- 2. Αραγαο lfugao
- 3 Abra
- Baguio City
- Benguet 5:
- Kalingo
- 7. Mr. Province

### Region 1

- Pangarinan.
- Boos Norte
- Boom Sur
- 4. La Union
- Alaminos City
- Candon City 6
- Dagupan City
- Long City San Carlos City
- 10. San Fernando City
- 11. Urdimeta City 12. Vigan City

- Region II 1. Batrons
- 2. Cagayao
- 3 funbete
- 4. Nurve Vizosys
- 5. Quirino
- 6. Santiago City
- 7. Ilagao City
- 8. Causyan City 9. Тидиедатно Спу

### Region III

- Рапраци
- Zambales Angelos City
- Cabanatuss City
- Gepan City Mabulacat City 5
- 6. Palayan City
- Minnor City
- Nuova Ezija
- 10. Olongapo City
- 11. San Jose City
- 12. San Fernando City

### Region IV-A

- Queton
- Batangas
- 1 Cavite
- 4 Lingtons
- Rigal
- Antipolo City
- Lucena City

### Region IV-8

- Poerto Princess City
- Marinduque Occidental Mindoro
- Oriental Mindrey
- Palawan
- Rembles

### Region V

- Masbate.
- Cumuritus Sur
- Legazpi City
- Ligao City
- Tabaco City

### Region VI

- Ilaila
- Boslo City
- Negrus Occidental
- Bacolod City
- 5 Annique
- 6 Aklen
- Capir
- L Guimares

### Region VII

- Cebu
- Cebu City 1 Bohol
- Dumaguete City 4
- Negrox Oriental
- 6. Lupu-Lapu City
- Mandane City
- 11. Signijor
- Teghilaran City 9.

### Region VIII

- Eastern Somer
- Northern Leyse
- 1 Neethern Samer Omnoc City
- 4 1 Tacloban City
- Borongan City

### Region IX

- Zamboanga del Sur
   Pagndian City
- Pagndian City
- Zamboanga City

### Region X

- Camigain
- 2 Bukidnon
- Cagayan de Oro 1
- 40
- Iligan City Lanao del Norte Misamis Occidental
- Misantio Oriental

### Region XI

- Devuo Oriental 1.
- Davas City
- Davao del None
- Davas Occidental
- 5
- Daviso del Sur 6. Daviso De Orn

### Region XII

- North Cotabato 1.
- 2 Sarangani
- General Santos City 3.
- South Cotshato 4.
- Sultan Kudarat 5.

### Region XIII

- Agusan del Norte
- 3
- Agusan Del Sur Surigeo Del Sur 3.
- Surigao Del Norte

### Butuan City 5.

### BARMM

- 1 Lanso del Sur
- Maguindanso Del Sur Maguindanso Del Norte 2 3
- Suite 4.
- Tewi-Tawi 5.

### NCR

- Caloocan City 1.
- Mandalayong
- Marikina City
- Pessty City 5.
- Quezan City 6. Taguig City
- Valencuela City
- Las Piñas City H.
- Makati City 10. Mainbon City
- 11 Manila City
- 12. Muntinhaps City
- 13. Navotas City.
- 14. Parameque City 15. Pasig City
- 16. Pateros 17. Sun Juan City

# Annex J: List of Immediately Notifiable AEFIs (AO 2023–0007: Revised Omnibus Guidelines on the Surveillance and Management of Adverse Events Following Immunization)

Adverse event	Case definition	Vaccine
Acute flaccid paralysis (Vaccine associated paralytic poliomyelitis)	Acute onset of flaccid paralysis within 4 to 30 days of receipt of oral policyirus vaccine (OPV), or within 4 to 75 days after contact with a vaccine recipient and neurological deficits remaining 60 days after onset, or death.  Notifiable if the onset is within 3 months after immunization	OPV
Amphylactaid reaction (acute hypersensitivity reaction)	Exaggerated sexus allergic reaction, occurring within 2 hours after immunization, characterized by one or more of the following:  Wheezing and shortness of breath due to bronchospasm  One or more skin manifestations, e.g. hives, facial oedema, or generalized oedema. Less severe allergic reactions do not need to be reported.  Larynguspasm/laryngeal oedema.  Notifiable if the onset is within 24 to 48 hours after immunization.	All
Anaphylaxis	Severe immediate (within I hour) allergic reaction leading to circulatory failure with or without brunchespasm and/or laryngospasnvlaryngeal cedema.  Notifiable if the onset is within 24 to 48 hours after immunication	All
Arthraigia	Joint pain usually including the small peripheral joints. Persistent if lasting longer than 10 days, transferst: if lasting up to 10 days Notifiable if the onset is within 1 month after immunication.	Rubella, MMR
Brachial neuritis	Dysfunction of nerves supplying the arm/shoulder without other involvement of the nervous system. A deep steady, often severe aching pain in the shoulder and upper arm followed in days or weakness by weakness and wasting in arm/shoulder muscles. Sensory loss may be present, but it less prominent. May present on the same or the opposite side to the injection and sometimes affects both arms.  Notifiable if the onact is within 3 months after immunication.	Tetamus
Disseminated BCG infections	Widespread infection occurring within 1 to 12 months after BCG vaccination and confirmed by isolation of Mycobacternus bouts BCG strain. Usually in immunocompromised individuals.	BCG
Encephalopathy	Acute onset of major illness characterized by any two of the following three conditions: seizures, severe alteration in level of consciouaness lasting for	Measles- containing, Perturnis- containing

	one day or more distinct change in behavior lasting one day or more. Needs to occur within 48 hours of DTP vaccine or from 7 to 12 days after measles or MMR vaccine, to be related to immunization.	
Hypotonic, hypormpensive epixode (HHE or shuck-collapse)	Event of sudden onset occurring within 48 [usually less than 12] hours of vaccination and lasting from one minute to several hours, in children younger than 10 years of age. All of the following must be present:  Limpness (hypotonic)  Raduoed responsiveness (hyporosponsive)  Pallor or cyamosis – or failure to observe/recall	Mainly DTP, rarely others
Injection site abscess	Fluctuant or draining fluid filled leaton at the site of injection. Bacterial if evidence of infection (e.g. purulent, inflammatory signs, fever, culture), sterile abscess if not.  Notifiable if the onset is within 7 days after immunization	All
Lymphadenitis (includes simple and suppurative lymphadenitis)	Either at least one lymph node enlarged to >1.0 cm in size (one adult finger width) or a draining ainus over a lymph node. Almost exclusively caused by RCG and then occurring within 2 to 6 months after receipt of BCG vaccine, or the same side as inoculation (mostly unillary). May develop as early as two weeks after vaccination, most cases appear within six months, and almost all cases occur within 24 months.	BCG
Osteitis/ Osteomyelitis	Inflammation of the bone with isolation of Alycobacterium bouts BCG strain.  Notifiable if the onnet is between 1 and 12 months after immunization	BCG
Persistent inconsolable screaming	Inconsolable continuous crying lasting 3 hours or longer accompanied by high-pitched screaming.  Notifiable if the onset is within 24 to 48 hours after immunization.	DTP, Pertussis
Seizuren	Occurrence of generalized convulsions that are not accompanied by focal neurological signs or symptoms. Febrile seizures: if temperature elevated >38°C (rectal) Afebrile seizures: if temperature normal  Notifiable if the onset is within 14 days after immunication.	All, especially DTP, MMR Measles
Sepais	Acute onset of severe generalized illness due to bacterial infection and confirmed (if possible) by positive blood culture. Needs to be reported as a possible indicator of program error.  Notifiable if the onset is within 7 days after immunization	All
Severe local reaction	Redness and/or swelling centered at the site of imjection and one or more of the following:   Swelling beyond the nearest joint	All